

## Golden Stage 0W-20 ECO

<u>Description</u>	<ul> <li>Stirlings Golden Stage 0W-20 ECO a fully synthetic. A modern, synthetic, fuel economy motor oil based on special selected synthetic base oils with a high viscosity index and a well balanced choice of advanced additives to obtain the following properties:</li> <li>a lower fuel consumption</li> <li>a high and very stable viscosity index</li> <li>a high resistance against shearing</li> <li>a fast cold start</li> <li>a very strong resistance against oxidation</li> <li>a safe lubrication film at very high temperatures</li> <li>a very good detergency and dispersion</li> <li>a very strong protection against wear, corrosion and foaming.</li> </ul>		
<u>Application</u>	A fuel economy, special composed synthetic motor oil recommended for use in petrol engines of passenger cars. This oil is fully backward compatible with GM dexos1 Gen 3. This oil is also suitable for the PATAC requirements of China 6 emission norms.		
<u>Specifications</u>	API SP Resource Conserving ILSAC GF-6A Meets the requirements of: GM dexos 1 Gen 3 Chrysler MS 6395 Fiat 9.55535-CR1 Ford WSS-M2C947-A/B1 / WSS-M2C962-A1 GM 6094M		
Typicals	Density at 15 °C, kg/l	0,845	
	Viscosity -35°C, mPa.s	5740	
	Viscosity 40°C, mm²/s	44,50	
	Viscosity 100°C, mm <sup>2</sup> /s	8,40	
	Viscosity Index	168	
	Flash Point COC, °C	224	
	Pour Point, °C	-42	
	Total Base Number, mgKOH/g	7,4	

0,78

Sulphate Ash, %

This sheet contains recommendations or suggestions on properties and possible applications of Stirlings products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical information in this document consists of typical incorrectness of the text. The reader is advised to make the final product choice in dialogue with the supplier.