Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9-5-2018 Revision date: 22-11-2022 Supersedes version of: 19-9-2022 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form
Trade name
Product code
Product group

: Mixture : Diamond Charger SAE50 HD

:ST.O.05.07 :Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Function or use category

- : Industrial use, Professional use, Consumer use
- : Engine oil
 - : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Stirlings Oil. Zevenkampse Ring 342 3068 HG Rotterdam (NL) postbus Netherlands T 0031 (0) 85 822 3039 Info@stirlingsoil.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Cardiff	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	0,3 - 2,5	Asp. Tox. 1, H304

Comments

: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell. 		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects	: No additional information available.		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measure	es		
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard	: Combustible liquid.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous decomposition products in case of fire	: Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				

6.3. Methods and material for containment and cleaning up			
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13.

SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Provide good ventilation in process area to prevent formation of vapour. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage temperature	: 0 - 40 °C
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Diamond Charger SAE50 HD		
EU - Indicative Occupational Exposure Limit (IOEL)		
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m ³ - ACGIH TLV (inhalable fraction).	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Type Field of application Characteristics Standard			
Safety glasses	Droplet	clear	EN 166

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Type Material Permeation Thickness (mm) Penetration Standard					
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

Other skin protection Materials for protective clothing: Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : Brown. Odour : characteristic. Odour threshold : Not available Metting point : Not available Freezing point : -15 °C - ASTM D5950 (pour point) Boiling point : Not available Flammability : Not available Explosive properties : Presents no particular fire or explosion hazard. Explosive ilmits : Not available Lower explosion limit : Not available Upper explosion limit : Not available Upper explosion limit : Not available Plash point : 255 °C - ASTM D92 (COC) Auto-ignition temperature : Not available PH : Not available Viscosity, kinematic : 206 mm²/s (40 °C) - ASTM D7279 Solubility : Water: Insoluble / Slightly miscible Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Vapour pressure at 50°C : Not available Density <th colspan="3">SECTION 9: Physical and chemical properties</th>	SECTION 9: Physical and chemical properties		
Colour: Brown.Odour: characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableExplosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availablePlash point: Not availableFlash point: Not availablePlacting thremperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Vater: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: Not availableRelative density: Not availableColour at 50°C: Not availableDensity: Not availableColour at 50°C: Not availableColour at 50°C: Not availableDensity: Not availableColour at 50°C: Not availableColour at 50°C: Not availableDensity: Not availableColo	9.1. Information on basic physical and chemical properties		
Odour: characteristic.Odour threshold: Not availableMelting point: Not applicableFreezing point: -15 °C - ASTM D5950 (pour point)Boiling point: Not availableFlammability: Not availableExplosive properties: Presents no particular fire or explosion hazard.Explosive properties: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: S55 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slighty misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Odour threshold: Not availableMelting point: Not applicableFreezing point: -15 °C - ASTM D5950 (pour point)Boiling point: Not availableFlammability: Not availableExplosive properties: Presents no particular fire or explosion hazard.Explosive properties: Not availableLower explosion limit: Not availableFlash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availablePH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Melting point: Not applicableFreezing point: -15 °C - ASTM D5950 (pour point)Boiling point: Not availableFlammability: Not availableExplosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 206 mm³/s (40 °C) - ASTM D7279Solubility: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Freezing point: -15 °C - ASTM D5950 (pour point)Boiling point: Not availableFlammability: Not applicableExplosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 206 mm³/s (40 °C) - ASTM D7279Solubility: Not availablePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Boiling point: Not availableFlammability: Not applicableExplosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Flarmability: Not applicableExplosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Explosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Upper explosion limit: Not availableFlash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Flash point: 255 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Decomposition temperature:Not availablepH:Not availableViscosity, kinematic:206 mm²/s (40 °C) - ASTM D7279Solubility:Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,897 kg/l (15 °C) - ASTM D4052Relative density:Not available			
pH: Not availableViscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Viscosity, kinematic: 206 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Vapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,897 kg/l (15 °C) - ASTM D4052Relative density:Not available			
Vapour pressure at 50°C: Not availableDensity: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Density: 0,897 kg/l (15 °C) - ASTM D4052Relative density: Not available			
Relative density : Not available			
Relative vapour density at 20°C : Not available			
Particle characteristics : Not applicable			
9.2. Other information			

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 0%

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

No decomposition if stored normally.

11.1. Information on hazard classes as de	efined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
Distillates (petroleum), solvent-dewaxed h	eavy paraffinic (64742-65-0)
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure STOT-repeated exposure	: Not classified : Not classified
Distillates (petroleum), solvent-dewaxed	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
Aspiration hazard	: Not classified
Diamond Charger SAE50 HD	
Viscosity, kinematic	206 mm²/s (40 °C) - ASTM D7279
Distillates (petroleum), solvent-dewaxed h	eavy paraffinic (64742-65-0)
Viscosity, kinematic	< 20,5 mm²/s @40°C
Aliphatic, alicyclic or aromatic hydrocarbon	Yes

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (chronic) Not rapidly degradable

12.2. Persistence and degradability

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	

13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations European List of Waste (LoW) code	 Dispose of contents/container in accordance with licensed collector's sorting instructions Dispose in a safe manner in accordance with local/national regulations. 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
I4.1. UN number or ID r	number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Air transport Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inland waterway transport Not applicable

Rail transport Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content

: 0%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes Section Changed item Change			
	Supersedes	Modified	
3	Composition/information on ingredients	Modified	11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.DN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
.DR	European Agreement concerning the International Carriage of Dangerous Goods by Road
TE	Acute Toxicity Estimate
CF	Bioconcentration factor
LV	Biological limit value
OD	Biochemical oxygen demand (BOD)
:OD	
	Chemical oxygen demand (COD)
MEL	Derived Minimal Effect level
NEL	Derived-No Effect Level
C-No.	European Community number
C50	Median effective concentration
N	European Standard
ARC	International Agency for Research on Cancer
ATA	International Air Transport Association
MDG	International Maritime Dangerous Goods
C50	Median lethal concentration
D50	Median lethal dose
OAEL	Lowest Observed Adverse Effect Level
IOAEC	No-Observed Adverse Effect Concentration
IOAEL	No-Observed Adverse Effect Level
IOEC	No-Observed Effect Concentration
ECD	Organisation for Economic Co-operation and Development
EL	Occupational Exposure Limit
вт	Persistent Bioaccumulative Toxic
NEC	Predicted No-Effect Concentration
ID	Regulations concerning the International Carriage of Dangerous Goods by Rail
DS	Safety Data Sheet
TP	Sewage treatment plant
hOD	Theoretical oxygen demand (ThOD)
LM	Median Tolerance Limit
OC	Volatile Organic Compounds
AS-No.	Chemical Abstract Service number
I.O.S.	Not Otherwise Specified
PvB	Very Persistent and Very Bioaccumulative
D	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
EUH210	Safety data sheet available on request.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H304	May be fatal if swallowed and enters airways.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.