

Golden Stage 5W-50 FS

<u>Description</u>	Golden Stage 5W-50 FS is a fully synthetic motor oil. A modern, synthetic, universal motor oil based on special selected synthetic base oils with a high viscosity index and a well balanced choice of advanced additives to obtain the following properties: <ul style="list-style-type: none">- a high and very stable viscosity index- a high resistance against shearing- a fast cold start- a very strong resistance against oxidation- a safe lubrication film at very high temperatures- a very good detergency and dispersion- a very strong protection against wear, corrosion and foaming																		
<u>Application</u>	A universal, special composed synthetic motor oil recommended for use in petrol and diesel engines, with or without turbo-charging, in passenger cars and delivery vans for which the most modern specifications are required.																		
<u>Specifications</u>	Performance level: ACEA A3/B4 API SP/CF MB 229.3 Porsche A40 VW 502.00/505.00																		
<u>Typicals</u>	<table border="1"><tr><td>Density at 15 °C, kg/l</td><td>0,853</td></tr><tr><td>Viscosity -30 °C, mPa.s</td><td>4670</td></tr><tr><td>Viscosity 40 °C, mm²/s</td><td>100,90</td></tr><tr><td>Viscosity 100 °C, mm²/s</td><td>17,30</td></tr><tr><td>Viscosity Index</td><td>188</td></tr><tr><td>Flash Point COC, °C</td><td>228</td></tr><tr><td>Pour Point, °C</td><td>-39</td></tr><tr><td>Total Base Number, mgKOH/g</td><td>10,4</td></tr><tr><td>Sulphate Ash, %</td><td>1,32</td></tr></table>	Density at 15 °C, kg/l	0,853	Viscosity -30 °C, mPa.s	4670	Viscosity 40 °C, mm ² /s	100,90	Viscosity 100 °C, mm ² /s	17,30	Viscosity Index	188	Flash Point COC, °C	228	Pour Point, °C	-39	Total Base Number, mgKOH/g	10,4	Sulphate Ash, %	1,32
Density at 15 °C, kg/l	0,853																		
Viscosity -30 °C, mPa.s	4670																		
Viscosity 40 °C, mm ² /s	100,90																		
Viscosity 100 °C, mm ² /s	17,30																		
Viscosity Index	188																		
Flash Point COC, °C	228																		
Pour Point, °C	-39																		
Total Base Number, mgKOH/g	10,4																		
Sulphate Ash, %	1,32																		