

Golden Stage 0W-20 ACE

Stirlings Golden Stage 0W-20 ACE a fully synthetic. A fuel economy, synthetic motor oil, Description developed according the most recent technology, based on specially selected synthetic base oils and a well balanced choice of advanced additives to obtain the following properties: - lower fuel consumption - reduced formation of combustion residues (mid SAPS) - a very fast cold start - a safe lubrication film at high temperatures - extended oil drain intervals - a very good detergency and dispersion - a very strong protection against wear, corrosion and foaming - dark green color. Application This fuel economy, specially composed motor oil, is recommended for use in petrol and diesel engines, with or without turbo-charging, in passenger cars and delivery vans with extended oil drain intervals. This motor oil also contributes to the extension of the lifetime of particle filters. This oil has been specially developed for engines for which an oil with the specification VW 508.00 / 509.00 is prescribed. Specifications ACEA C5

ACEA C5 Approved under VW 508.00/509.00 Meets the requirements of: Ford WSS-M2C956-A1 Porsche C20

Typicals

Density at 15 °C, kg/l	0,850
Viscosity -35°C, mPa.s	5450
Viscosity 40°C, mm²/s	44,80
Viscosity 100°C, mm ² /s	8,35
Viscosity Index	171
Flash Point COC, °C	226
Pour Point, °C	-51
Total Base Number, mgKOH/g	8,7
Sulphate Ash, %	0,80

This sheet contains recommendations or suggestions on properties and possible applications of Stirlings products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical information in this document consists of typical incorrectness of the text. The reader is advised to make the final product choice in dialogue with the supplier.