Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 20-3-2023 Revision date: 20-3-2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	
Trade name	
Product code	
Product group	

: Mixture : Racing 10W50 : ST.O.11.40 : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Function or use category : Industrial use, Professional use, Consumer use

- : Engine oil
 - : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Car Care Lubricants BV Zevenkampse Ring 342b 3068 HG Rotterdam The Netherlands

T 0031 (0) 85 822 3039 Info@stirlingsoil.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed light paraffinic substance with a Community workplace exposure limit E (Note L)	CAS-No.: 64742-56-9 EC-No.: 265-159-2 C Index-No.: 649-469-00-9 REACH-no: 01-2119480132- 48	0,1 - 2,5	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	0,1 - 2,5	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	0,1 - 2,5	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077- 29	0,3 - 2,5	Asp. Tox. 1, H304
Distillates (petroleum), solvent-refined light paraffinic (Note L)	CAS-No.: 64741-89-5 EC-No.: 265-091-3 EC Index-No.: 649-455-00-2 REACH-no: 01-2119487067- 30	0,3 - 2,5	Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	0,3 - 2,5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
C14-16-18 Alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	0,1 - 2,5	Skin Sens. 1B, H317 STOT RE 2, H373
Paraffin oils (petroleum), catalytic dewaxed heavy	CAS-No.: 64742-70-7 EC-No.: 265-174-4 REACH-no: 01-2119487080- 42	0,1 - 2,5	Asp. Tox. 1, H304

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	(6,25 ≤C ≤ 100) Skin Irrit. 2, H315 (10 ≤C < 12,5) Eye Irrit. 2, H319 (12,5 ≤C ≤ 100) Eye Dam. 1, H318
C14-16-18 Alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	(10 ≤C < 100) Skin Sens. 1B, H317

Comments

: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell. 	
4.2. Most important symptoms and effects, both acute and delayed		
No additional information available		
4.3. Indication of any immediate medi	cal attention and special treatment needed	

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.

20-3-2023 (Revision date) 21-3-2023 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture		
Fire hazard Hazardous decomposition products in case of fire	 Combustible liquid. Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. 	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up Other information	 Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site. 	

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage	je
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, include	ding any incompatibilities
Storage conditions Storage temperature	 Store in a well-ventilated place. Keep cool. < 40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Racing 10W50	
EU - Indicative Occupational Exposure Limit (IOEL)	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m ³ - ACGIH TLV (inhalable fraction).
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA 5 mg/m ³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

r locolive gioveo

Hand protection		-			
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information	on basic physica	l and chemical	properties
Dhysical state			iouid

Physical state	: Liquid
Colour	: brown.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -39 °C - ASTM D5950 (pour point)
Boiling point	: Not available
Flammability	: Non flammable.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 236 °C - ASTM D92 (COC)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 127 mm²/s (40 °C) - ASTM D7042
Solubility	: Water: Insoluble / Slightly miscible
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,856 kg/l (15 °C) - ASTM D4052
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts violently with (strong) oxidizers.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inform	ation
1.1. Information on hazard classes as	defined in Regulation (EC) No 1272/2008
cute toxicity (oral) cute toxicity (dermal) cute toxicity (inhalation)	: Not classified : Not classified : Not classified
zinc bis[O-(6-methylheptyl)] bis[O-(sec-	butyl)] bis(dithiophosphate) (93819-94-4)
_D50 oral rat	2600 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:
LD50 dermal rabbit	> 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Derma Toxicity), Remarks on results: other:
_C50 Inhalation - Rat	> 2 mg/l (1h) - OECD403
C14-16-18 Alkyl phenol	
_D50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other:
_D50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:
Distillates (petroleum), hydrotreated hea	avy paraffinic (64742-54-7)
_D50 oral rat	> 5000 mg/kg
_D50 dermal rabbit	> 2000 mg/kg
_C50 Inhalation - Rat	> 5,53 mg/l/4h
Distillates (petroleum), solvent-dewaxed	l light paraffinic (64742-56-9)
_D50 oral rat	> 5000 mg/kg
D50 dermal rabbit	> 5000 mg/kg
_C50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4h
Distillates (petroleum), solvent-dewaxed	heavy paraffinic (64742-65-0)
_D50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
Distillates (petroleum), hydrotreated ligh	it paraffinic (64742-55-8)
D50 oral rat	> 5000 mg/kg
_D50 dermal rabbit	> 2000 mg/kg
_C50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4h

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-refined light pa	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 5000 mg/m³
Skin corrosion/irritation	Not classified
Distillates (petroleum), solvent-dewaxed light pa	raffinic (64742-56-9)
рН	7
Serious eye damage/irritation	Not classified
Distillates (petroleum), solvent-dewaxed light pa	raffinic (64742-56-9)
рН	7
Respiratory or skin sensitisation	Not classified
	Not classified
Carcinogenicity	Not classified
	Not classified
	Not classified
STOT-repeated exposure	Not classified
C14-16-18 Alkyl phenol	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure.
Distillates (petroleum), solvent-dewaxed light pa	raffinic (64742-56-9)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day
NOAEL (subchronic, oral, animal/male, 90 days)	≥ 2000 mg/kg bodyweight
NOAEL (subchronic, oral, animal/female, 90 days)	≥ 2000 mg/kg bodyweight
Distillates (petroleum), solvent-dewaxed heavy	y paraffinic (64742-65-0)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
Distillates (petroleum), hydrotreated light para	ffinic (64742-55-8)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Distillates (petroleum), solvent-refined light pa	raffinic (64741-89-5)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	Not classified
Racing 10W50	
Viscosity, kinematic	127 mm²/s (40 °C) - ASTM D7042
C14-16-18 Alkyl phenol	
Viscosity, kinematic	52 mm²/s (40°C) 5,4 mm²/s (100°C) [ASTM D445]
Distillates (petroleum), hydrotreated heavy para	ffinic (64742-54-7)
Viscosity, kinematic	< 20,5 mm²/s
Aliphatic, alicyclic or aromatic hydrocarbon	Yes

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
Viscosity, kinematic	< 20,5 mm²/s	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Distillates (petroleum), solvent-dewaxed heavy	paraffinic (64742-65-0)	
Viscosity, kinematic	< 20,5 mm²/s @40°C	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Paraffin oils (petroleum), catalytic dewaxed hea	vy (64742-70-7)	
Viscosity, kinematic	< 20,5 mm²/s	
Hydrocarbon	Yes	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Distillates (petroleum), hydrotreated light paraffi	nic (64742-55-8)	
Viscosity, kinematic	< 20,5 mm²/s	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Distillates (petroleum), solvent-refined light para	affinic (64741-89-5)	
Viscosity, kinematic	< 20,5 mm²/s (40 °C) - ASTM D7042	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis	(dithiophosphate) (93819-94-4)
LC50 - Fish [1]	4,5 mg/l 96 h (Oncorhynchus mykiss) [OECD 203]
EC50 - Crustacea [1]	5,4 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	2,1 mg/l Test organisms (species): other:
EC50 72h - Algae [2]	2 mg/l Test organisms (species): other:
EC50 96h - Algae [1]	2,1 mg/l Test organisms (species): other:
EC50 96h - Algae [2]	2 mg/l Test organisms (species): other:
ErC50 algae	2,1 mg/l 96 h (Selenastrum capricornutum) [OECD 201]
C14-16-18 Alkyl phenol	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
Distillates (petroleum), hydrotreated heavy paraffi	nic (64742-54-7)
LC50 - Fish [1]	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)

20-3-2023 (Revision date) 21-3-2023 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy parafinic (64742-54-7) EC60 - Crustacea [1] > 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) EC60 - Fail (1) > 100 mg/l (Deptoins magna, 21d) (OECD 211 method) NOEC (acute) 1 100 mg/l (Deptoins magna, 21d) (OECD 211 method) Distillates (petroleum), hydrotreated light parafinic (64742-55-8) LC50 - Fail (1) > 100 mg/l 80h EC60 - Crustacea (11) > 100 mg/l 80h Biodegradatin 1.5 % 28 d - 10mg/l 10CEO 301 F <			
ECS0 72h - Algae [1] > 100 mg1 NOEC (acule) ≥ 100 mg1 (Daphnis magna, 21d) (OECD 201 method) NOEC chronic crustacea 10 mg1 (Daphnis magna, 21d) (OECD 211 method) Distillates (petroleum), hydrotreated light parafflick (64742-55-8) ECS0 - Fish [1] CS0 - Fish [1] > 100 mg1 98h ECS0 - Crustacea [1] > 100 mg1 98h ECS0 - Trustacea 10 mg1 21d 122. Persistence and degradability 2100 mg1 Zinc bis[O-(6-methylheptyl)) bis[O-(sec-buyl)] bis(dithiophosphate) (93819-94-4) Persistence and degradability Not readily biodegradable. Biodegradation 1,5 % 28 d - 10mg1 (OECD 301 B] Distillates (petroleum), hydrotreated heavy parafinic (64742-56-9) Persistence and degradability Not readily biodegradable. Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Persistence and degradability Not established. Biodegradability Not established. Biodegradability Not established. Biodegradability 0,9 (23 °C) C14-16-18 Alkyl phenol 7.2 <t< td=""><td>Distillates (petroleum), hydrotreated heavy para</td><td>affinic (64742-54-7)</td></t<>	Distillates (petroleum), hydrotreated heavy para	affinic (64742-54-7)	
NOEC (acute) 2 100 mg/l (Pseudokirchnerella subcapitata, 72h) (DECD 201 method) NOEC chronic crustacea 10 mg/l (Daphnia magna, 21d) (DECD 211 method) Distillates (petroleum), hydrotreated light parafinic (64742-55-8) 100 mg/l 86h ECS0 - Fish [1] > 100 mg/l 80h ECS0 - Trustacea [1] > 100 mg/l 21d 12.2. Persistence and degradability 2 100 mg/l VDEC chronic crustacea 10 mg/l 21d 12.2. Persistence and degradability Not readily biodegradable. Biodegradation 1.5 % 28 d - 10mg/l (DECD 301 B) Distillates (petroleum), hydrotreated heavy parafinic (64742-56-9) Persistence and degradability Not readily biodegradable. Biodegradation 31 % (280) (DECD 301 F method) Distillates (petroleum), solvent-dewaxed light parafinic (64742-56-9) Persistence and degradability Not estabilshed. Biodegradation 31 % (280) (DECD 301F method) Distillates (petroleum), solvent-dewaxed light parafinic (64742-56-8) Persistence and degradability Not estabilshed. Biodegradation 31 % (DECD 201 F method) 12.3. Bioaccumulative potential 2 Zinc bis[O-(6-methylhepty[]) bis[O-(sec-buty[]) bis(di	EC50 - Crustacea [1]	> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)	
NOEC chronic crustacea 10 mgl (Daphnia magna, 21d) (OECD 211 method) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LCS0 - Fish [1] > 100 mgl 96h ECS0 - Crustacea [1] > 100 mgl 96h ECS0 - Crustacea [1] > 100 mgl 70 ECS0 72h - Algae [1] > 100 mgl 21d 12.2. Persistence and degradability It mgl 21d zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Persistence and degradability Not readily biodegradable. Biodegradation 1,5 % 28 d - 10mgl (DECD 301 B) Distillates (petroleum), hydrotreated heavy paraffinic (64742-56-9) Persistence and degradability Not readily biodegradable. Distillates (petroleum), solvent-dewaxed light paraffinic (64742-55-8) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not estabilished. Biodegradability Not estabilished. Biodegradability Not estabilished. Biodegradability Not estabilished. Biodegradability 0;9 (23 °C) C14-16-18 Alkyl phenol -	EC50 72h - Algae [1]	> 100 mg/l	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LC50 - Fish [1] > 100 mg/l 96h EC50 - Crustacea [1] > 100 mg/l 12.2. Persistence and degradability It mg/l [21d 12.2. Persistence and degradability Not readily biodegradable. Biodegradation 1,5 % 28 d - 10mg/l [OECD 301 B] Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Biodegradability Biodegradability Potentially biodegradable. Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential Zinc bis[O-(6-methylheptyl]) bis[O-(sec-bulyl] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light para	NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)	
LCS0 - Fish [1] > 100 mg/l 96h ECS0 - Crustacea [1] > 100 mg/l ECS0 - Crustacea [1] > 100 mg/l ECS0 - Crustacea [1] > 100 mg/l LCS0 - Fish [1] > 100 mg/l NOEC chronic crustacea 10 mg/l 21d 12.2. Persistence and degradability Immodel in the intervention of the interv	NOEC chronic crustacea	10 mg/l (Daphnia magna, 21d) (OECD 211 method)	
ECS0 - Crustacea [1] > 10000 mg/l ECS0 - Zh - Algae [1] > 100 mg/l ECS0 - Zh - Algae [1] > 100 mg/l NOEC chronic crustacea 10 mg/l 21d 12.2. Persistence and degradability Ion readily biodegradable. Biodegradation 1,5 % 28 d - 10mg/l [OECD 301 B] Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Biodegradation 31 % (28d) (OECD 301F method) Distillates (petroleum), hydrotreated heavy paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Persistence and degradability Not established. Biodegradation 31 % (28d) (OECD 301F method) 12.3. Bioaccumulative potential 2 zinc bis[O-(6-methylheptyl]) bis[O-(sec-butyl]) bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol > Partition coefficient n-octanol/water (Log Pow) > 7.2 Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) > Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) <td>Distillates (petroleum), hydrotreated light paraffinio</td> <td>c (64742-55-8)</td>	Distillates (petroleum), hydrotreated light paraffinio	c (64742-55-8)	
ECS0 72h - Algae [1] ≥ 100 mg/l NOEC chronic crustacea 10 mg/l 21d 12.2. Persistence and degradability Zinc bis[O-(6-methylheptyl]) bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Persistence and degradability Not readily biodegradable. Biodegradation 1.5 % 28 d - 10mg/l [OECD 301 B] Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Biodegradation Biodegradation 31 % (28d) (OECD 301F method) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential Iso(OEc-butyl) bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0.9 (23 °C) C14-16-18 Alkyl phenol > 7.2 Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 <td>LC50 - Fish [1]</td> <td>> 100 mg/l 96h</td>	LC50 - Fish [1]	> 100 mg/l 96h	
NOEC chronic crustacea 10 mg/ 21d 12.2. Persistence and degradability International and the state of the	EC50 - Crustacea [1]	> 10000 mg/l	
12.2. Persistence and degradability zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Persistence and degradability Not readily biodegradable. Biodegradation 1.5 % 28 d - 10mg/l [OECD 301 B] Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Biodegradation 31 % (28d) (OECD 301 F method) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0.9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7.2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow)	EC50 72h - Algae [1]	≥ 100 mg/l	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Persistence and degradability Not readily biodegradable. Biodegradation 1,5 % 28 d - 10mgl [OECD 301 B] Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Biodegradation 31 % (28d) (OECD 301F method) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not established. Biodegradation 31 % (0ECD 301F method) 12.3. Bioaccumulative potential zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol 2,2 Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-56-8)	NOEC chronic crustacea	10 mg/l 21d	
Persistence and degradability Not readily biodegradable. Biodegradation 1.5 % 28 d - 10mg/l [OECD 301 B] Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Biodegradation 31 % (28d) (OECD 301F method) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0.9 (23 °C) C14-16-18 Alkyl phenol > 7.2 Partition coefficient n-octanol/water (Log Pow) > 7.2 Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3	12.2. Persistence and degradability		
Biodegradation 1,5 % 28 d - 10mg/l (OECD 301 B) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Biodegradation 31 % (28d) (OECD 301F method) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential Xin (OECD 301F method) zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7.2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Partition coefficie	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis	(dithiophosphate) (93819-94-4)	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Biodegradation 31 % (28d) (OECD 301F method) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0.9 (23 °C) C14-16-18 Alkyl phenol > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative poten	Persistence and degradability	Not readily biodegradable.	
Biodegradation 31 % (28d) (OECD 301F method) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7.2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Not established. Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Biodegradation	1,5 % 28 d - 10mg/l [OECD 301 B]	
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Persistence and degradability Potentially biodegradable. Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential Image: Comparison of the stabilished. zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Biodegradation	31 % (28d) (OECD 301F method)	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
Persistence and degradability Not established. Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential Image: Comparison of the stablished of	Persistence and degradability	Potentially biodegradable.	
Biodegradation 31 % (OECD 301F method) 12.3. Bioaccumulative potential Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7.2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Distillates (petroleum), hydrotreated light paraffin	ic (64742-55-8)	
12.3. Bioaccumulative potential zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Persistence and degradability	Not established.	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Biodegradation	31 % (OECD 301F method)	
Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C) C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	12.3. Bioaccumulative potential		
C14-16-18 Alkyl phenol Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis	ois(dithiophosphate) (93819-94-4)	
Partition coefficient n-octanol/water (Log Pow) > 7,2 Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Partition coefficient n-octanol/water (Log Pow)	0,9 (23 °C)	
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	C14-16-18 Alkyl phenol		
Partition coefficient n-octanol/water (Log Pow) > 3 Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Partition coefficient n-octanol/water (Log Pow)	> 7,2	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Distillates (petroleum), solvent-dewaxed light par	affinic (64742-56-9)	
Partition coefficient n-octanol/water (Log Pow) > 6 Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Partition coefficient n-octanol/water (Log Pow)	> 3	
Bioaccumulative potential Not established. 12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
12.4. Mobility in soil Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Partition coefficient n-octanol/water (Log Pow)	> 6	
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Bioaccumulative potential	Not established.	
	12.4. Mobility in soil		
Ecology - soil Insoluble in water.	Distillates (petroleum), solvent-dewaxed light par	raffinic (64742-56-9)	
	Ecology - soil	Insoluble in water.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

European List of Waste (LoW) code

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
4.1. UN number or ID n	umber			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
4.2. UN proper shipping	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
4.3. Transport hazard c	lass(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
4.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
4.5. Environmental haz	ards		7	
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inland waterway transport Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out: Distillates (petroleum), solvent-dewaxed light paraffinic

SECTION 16: Other information

Abbreviations and acronyms:	
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations a	nd acronyms:
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity - Repeated exposure, Category 2	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.