## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17-5-2018 Revision date: 27-9-2022 Supersedes version of: 23-3-2020 Version: 1.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form
Trade name
Product code
Product group

: Mixture : Shifting Gearoil 75W-140 LD : ST.O.13.18 : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Function or use category

- : Industrial use, Professional use, Consumer use
- : Transmission oil
  - : Lubricants and additives

#### 1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Stirlings Oil. Zevenkampse Ring 342 3068 HG Rotterdam (NL) postbus Netherlands T 0031 (0) 85 822 3039 Info@stirlingsoil.com

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Llandough	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**EUH-statements** 

: EUH208 - Contains Magnesium metaborate, Reaction products of bis(4-methylpentan-2yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction. EUH210 - Safety data sheet available on request.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Comments

: Blend of polyolefins and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515- 43	2,5 - 5	Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Distillates (petroleum), hydrotreated light paraffinic (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077- 29	1 - 5	Asp. Tox. 1, H304
Blend of mineral oils * (*)(Note L)	-	1 - 2,5	Asp. Tox. 1, H304
Reaction products of bis(4-methylpentan-2- yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	EC-No.: 931-384-6 REACH-no: 01-2119493620- 38	1 - 2,5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Magnesium metaborate	CAS-No.: 13703-82-7 EC-No.: 237-235-5 REACH-no: 01-2120769073- 53	0,1 - 1	Skin Sens. 1B, H317

Specific concentration limits:					
Name Product identifier Specific concentration limits					
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515- 43	( 46 <c 100)="" 1b,="" h317<="" sens.="" skin="" td="" ≤=""></c>			
Reaction products of bis(4-methylpentan-2- yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	EC-No.: 931-384-6 REACH-no: 01-2119493620- 38	( 9,39 <c 1,="" 100)="" h317<br="" sens.="" skin="" ≤="">( 50 <c 1,="" 100)="" dam.="" eye="" h318<br="" ≤="">( 50 <c 100)="" 2,="" eye="" h319<="" irrit.="" td="" ≤=""></c></c></c>			

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Comments

: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

\*: contains one or more of the following CAS-numbers (REACH registration numbers):

64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30), 64741-95-3 (01-2119487081-40), 64741-96-4 (01-2119483621-38), 64741-97-5 (01-2119480374-36), 64742-01-4 (01-2119488707-21), 64742-52-5 (01-2119467170-45), 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-57-0 (01-2119489287-22), 64742-62-7 (01-2119480472-38), 64742-65-0 (01-2119471299-27), 64742-71-8 (01-2119485040-48), 72623-85-9 (01-2119555262-43), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 74869-22-0 (01-2119495601-36)

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>	
4.2. Most important symptoms and eff	ects, both acute and delayed	
Symptoms/effects	: No additional information available.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures					
5.1. Extinguishing media					
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.				
5.2. Special hazards arising from the substance or mixture					
Fire hazard Hazardous decomposition products in case of fire	<ul> <li>Combustible liquid.</li> <li>Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.</li> </ul>				
5.3. Advice for firefighters					
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.				

SECTION 6: Accidental release measures				
6.1. Personal precautions, protect	ive equipment and emergency procedures			
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area.			
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up				
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>			
6.4. Reference to other sections				

For further information refer to section 13.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling Hygiene measures	<ul> <li>Provide good ventilation in process area to prevent formation of vapour.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>			
7.2. Conditions for safe storage, including	ng any incompatibilities			
Storage conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.			
Storage temperature	: 0 - 40 °C			
7.3. Specific end use(s)				

No additional information available

# SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1 National occupational exposure and biological limit values Shifting Gearoil 75W-140 LD EU - Indicative Occupational Exposure Limit (IOEL) Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended 5.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection: Safety glasses

Eye protection						
Type Field of application Characteristics Standard						
Safety glasses Droplet clear EN 166						

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection						
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard	
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374	

#### Other skin protection

Materials for protective clothing: Wear suitable protective clothing

#### 8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -48 °C - ASTM D5950 (pour point)
Boiling point	: Not available
Flammability	: Not applicable
Explosive properties	: Presents no particular fire or explosion hazard.
Explosive limits	: Not available
Lower explosion limit	: Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Upper explosion limit	: Not available
Flash point	: 252 °C - ASTM D92 (COC)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pН	: Not available
Viscosity, kinematic	: 188 mm²/s (40 °C) - ASTM D7279
Solubility	: Water: Insoluble / Slightly miscible
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 0,876 kg/l (15 °C) - ASTM D4052
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 0%

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

## SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Magnesium metaborate (13703-82-7)	
LD50 oral rat	<ul> <li>&gt; 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline</li> <li>420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)</li> </ul>
LD50 dermal rat	<ul> <li>&gt; 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))</li> </ul>

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 oral rat	2000 mg/kg (OECD 401 method)
Blend of mineral oils *	
LD50 oral rat	> 5000 mg/kg Data from similar product
LD50 dermal rabbit	> 5000 mg/kg Data from similar product
_C50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h Data from similar product
Distillates (petroleum), hydrotreated light	t paraffinic (64742-55-8)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4h
kin corrosion/irritation	: Not classified
erious eye damage/irritation	: Not classified
espiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
arcinogenicity	: Not classified
eproductive toxicity	: Not classified
TOT-single exposure	: Not classified
TOT-repeated exposure	: Not classified
To T Topoulou exposure	
Magnesium metaborate (13703-82-7)	
Magnesium metaborate (13703-82-7)	
Magnesium metaborate (13703-82-7) NOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe	
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched)	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days)	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and 150 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated lig	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and 150 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated lig OAEL (oral, rat, 90 days)	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and         150 mg/kg bodyweight Animal: rat         ght paraffinic (64742-55-8)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated lig _OAEL (oral, rat, 90 days) spiration hazard	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and         150 mg/kg bodyweight Animal: rat         ght paraffinic (64742-55-8)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated lig _OAEL (oral, rat, 90 days) spiration hazard Shifting Gearoil 75W-140 LD	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and         150 mg/kg bodyweight Animal: rat         ght paraffinic (64742-55-8)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated lig OAEL (oral, rat, 90 days) spiration hazard Shifting Gearoil 75W-140 LD /iscosity, kinematic	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and         150 mg/kg bodyweight Animal: rat         ght paraffinic (64742-55-8)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)         : Not classified
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated lig LOAEL (oral, rat, 90 days) spiration hazard Shifting Gearoil 75W-140 LD Viscosity, kinematic Blend of mineral oils *	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and         150 mg/kg bodyweight Animal: rat         ght paraffinic (64742-55-8)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)         : Not classified
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated lig LOAEL (oral, rat, 90 days) spiration hazard Shifting Gearoil 75W-140 LD Viscosity, kinematic Blend of mineral oils * Viscosity, kinematic	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and         150 mg/kg bodyweight Animal: rat         ght paraffinic (64742-55-8)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)         : Not classified         188 mm²/s (40 °C) - ASTM D7279
NOAEL (oral, rat, 90 days) Reaction products of bis(4-methylpe amines, C12-14-alkyl (branched) NOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated lig COAEL (oral, rat, 90 days) spiration hazard Shifting Gearoil 75W-140 LD /iscosity, kinematic Blend of mineral oils * /iscosity, kinematic Aliphatic, alicyclic or aromatic hydrocarbon	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and         150 mg/kg bodyweight Animal: rat         ght paraffinic (64742-55-8)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)         : Not classified         188 mm²/s (40 °C) - ASTM D7279         < 20,5 mm²/s
NOAEL (oral, rat, 90 days)	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         entan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and         150 mg/kg bodyweight Animal: rat         ght paraffinic (64742-55-8)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)         : Not classified         188 mm²/s (40 °C) - ASTM D7279         < 20,5 mm²/s

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information		
2.1. Toxicity		
cology - general lazardous to the aquatic environment, short-term	<ul> <li>The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment.</li> <li>Not classified</li> </ul>	
acute) lazardous to the aquatic environment, long-term chronic)	: Not classified	
lot rapidly degradable Polysulfides, di-tert-Bu (68937-96-2)		
	62 mall	
EC50 - Crustacea [1] EC50 72h - Algae [1]	63 mg/l 0,838 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	> 100 mg/l	
Reaction products of bis(4-methylpentan-2-yl) amines, C12-14-alkyl (branched)	dithiophosphoric acid with phosphorus oxide, propylene oxide and	
_C50 - Fish [1]	24 mg/l (Oncorhynchus mykiss, 96h) (OECD 203 method)	
_C50 - Fish [2]	8,5 mg/l (Pimephales promelas, 96h) (OECD 203 method)	
EC50 - Crustacea [1]	91,4 mg/l (Daphnia magna, 48h) (OECD 202 method)	
EC50 96h - Algae [1]	lgae [1] 6,4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous name Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [2]	15 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
NOEC chronic crustacea	0,12 mg/l (Daphnia magna, 21d) (OECD 211 method)	
NOEC chronic algae	1,7 mg/l (Pseudokirchnerella subcapitata, 96h) (OECD 201 method)	
Blend of mineral oils *		
_C50 - Fish [1]	> 100 mg/l Data from similar product	
EC50 - Crustacea [1]	> 10000 mg/l Data from similar product	
EC50 72h - Algae [1]	> 100 mg/l Data from similar product	
NOEC chronic crustacea	> 10 mg/l	
NOEC chronic algae	> 10 mg/l (Water flea (Daphnia magna), 21 d)	
Distillates (petroleum), hydrotreated light paraf	finic (64742-55-8)	
_C50 - Fish [1]	> 100 mg/l 96h	
EC50 - Crustacea [1]	> 10000 mg/l	
EC50 72h - Algae [1]	≥ 100 mg/l	
NOEC chronic crustacea	10 mg/l 21d	
2.2. Persistence and degradability		
Polysulfides, di-tert-Bu (68937-96-2)		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Biodegradation	Biodegradation         3,6 % Sturm (28 d) [ASTM D-5864-95]		
Distillates (petroleum), hydrotreated light paraffi	nic (64742-55-8)		
Persistence and degradability Not established.			
Biodegradation 31 % (OECD 301F method)			
12.3. Bioaccumulative potential			
Polysulfides, di-tert-Bu (68937-96-2)			
Partition coefficient n-octanol/water (Log Kow)	6 (Octanol/water coefficient, 0,1 d)		
Reaction products of bis(4-methylpentan-2-yl)c amines, C12-14-alkyl (branched)	ithiophosphoric acid with phosphorus oxide, propylene oxide and		
Partition coefficient n-octanol/water (Log Pow) < 0,3 (40°C) (OECD 117 method)			
Distillates (petroleum), hydrotreated light paraff	nic (64742-55-8)		
Partition coefficient n-octanol/water (Log Pow)	> 6		
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations European List of Waste (LoW) code	<ul> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>13 02 06* - synthetic engine, gear and lubricating oils</li> </ul>	

n accordance with ADR / IMDG / IATA / ADN / RID					
ADR IMDG IATA ADN RID					
14.1. UN number or ID number					
Not regulated Not regulated Not regulated Not regulated Not regulated					
14.2. UN proper shipping name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID		
4.3. Transport hazard class(es)						
Not regulated Not regulated Not regulated Not regulated Not regulated						
14.4. Packing group						
Not regulated	Not regulated Not regulated Not regulated Not regulated Not regulated					
14.5. Environmental hazards						
Not regulated Not regulated Not regulated Not regulated Not regulated						

#### 14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code Applicable on		
3.	Polysulfides, di-tert-Bu ; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) ; Distillates (petroleum), hydrotreated light paraffinic	
3(b) Polysulfides, di-tert-Bu; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide propylene oxide and amines, C12-14-alkyl (branched); Blend of mineral oils *; Distillates (petroleum), hydrotreated paraffinic		
3(c) Polysulfides, di-tert-Bu; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)		

## REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

#### REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### VOC Directive (2004/42)

VOC content

: 0%

#### Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes				
Section	Changed item	Change	Comments	
	Revision date	Modified		
	Supersedes	Modified		
	Comments	Modified		
1.2	Use of the substance/mixture	Added		
1.2	Function or use category	Added	§	
2.2	EUH-statements	Modified		
4.1	First-aid measures after ingestion	Modified		
4.2	Symptoms/effects	Modified		
9.1	Solubility in water	Added		
16	Abbreviations and acronyms	Modified		

Abbreviations and acronyms:	
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE Acute Toxicity Estimate	
BCF	Bioconcentration factor
BLV Biological limit value	
BOD Biochemical oxygen demand (BOD)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations a	ind acronyms:	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	
		_

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains Magnesium metaborate, Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.